



# 030 - 030C

COLD SPOTTING TABLES



## COLD SPOTTING TABLES

### Features 030-030C

The 030 and 030/C models use the cold spotting system, with two spotting guns on independent circuits and a cold air drying gun.

The first spotting gun eliminates greasy stains using a chemical product and the second gun eliminates non-greasy stains using water with the addition of soaps or specific products if necessary.

The air gun must be used to immediately dry the fabric without leaving rings.

On request, the cold spotting table can be equipped with a hot spotting group.

## Models

		030	030C
Ironing table	Length (mm)	900	900
	Depth (mm)	420	420
	Table high (mm)	895	895

### Net and packing dimension

Net dimension	Length (mm)	1270	1270
	Depth (mm)	490	490
	Height (mm)	1600	1600
Packing dimension	Length (mm)	1460	1460
	Depth (mm)	590	590
	Height (mm)	1060	1060
	Volume (m <sup>3</sup> )	0.91	0.91
Net / Gross weight	kg	92 / 113	51 / 72

### Air compressed and exhaust connection

Air compressed	lt/min	220	220 (connessione a fonte esterna)
	Pressure (bar)	10	10
	Inches	3/8	3/8
Exhaust	Diameter (mm)	78	78

### Electric data

Power supply	V / ph / Hz	380-415V 3N 50/60Hz	230-240V 1~50/60Hz
Total electric power	kW	1,5	0,5
Noise	dB (A)	<75	<75
Fuses	A	3	3

**grandimpianti i.l.e - Ali spa**  
via masiere, 211/c - 32037 sospiolo (BL) Italy  
ph. +39 0437 848 711 - fax +39 0437 879 108  
www.grandimpianti.com - info@grandimpianti.com



AZIENDA CON  
SISTEMA DI GESTIONE  
CERTIFICATO DA DNV  
= ISO 9001 =  
= ISO 14001 =

an Ali Group Company



The Spirit of Excellence